



Shenzhen GuangAn Intelligent Traffic Technology Co., Ltd.

Add: The 6th floor. B Building, jinshanlong industrial zone, Guanlan streets Xintang Village No. 1 , Shenzhen City, China

Contact: Ethan, Tel: 0755-83741334, Fax: 0755-83741334-8158, Mail: ethan@guangantech.com

Welcome to know our traffic warning light




General information:

GuangAn's traffic warning light is made of UV-stabilized polycarbonate, resistant to mechanical stress, unfavorable weather conditions and solar radiation. Product is easy to install and maintenance attributed to its modular design and constructional snap elements.

Product allow different types of input voltage such as electricity power (85-265V) or solar power (DC12/24V). Meeting the highest requirements all over the world.

Product features:





Shenzhen GuangAn Intelligent Traffic Technology Co., Ltd.

Add: The 6th floor. B Building, jinshanlong industrial zone, Guanlan streets Xintang Village No. 1 , Shenzhen City, China

Contact: Ethan, Tel: 0755-83741334, Fax: 0755-83741334-8158, Mail: ethan@guangantech.com

Product display:

single type



↑ front view



↑ back view

double type



(polycarbonate housing)



(Aluminum housing)

↑ front view



Shenzhen GuangAn Intelligent Traffic Technology Co., Ltd.

Add: The 6th floor. B Building, jinshanlong industrial zone, Guanlan streets Xintang Village No. 1 , Shenzhen City, China

Contact: Ethan, Tel: 0755-83741334, Fax: 0755-83741334-8158, Mail: ethan@guangantech.com

Typcal application:



↑ Single type I

(1pcs light with 1pcs solar panel)



↑ Single type II

(2pcs light share 1pcs solar panel and 1pcs battery)



↑ double type



Shenzhen GuangAn Intelligent Traffic Technology Co., Ltd.

Add: The 6th floor. B Building, jinshanlong industrial zone, Guanlan streets Xintang Village No. 1 , Shenzhen City, China

Contact: Ethan, Tel: 0755-83741334, Fax: 0755-83741334-8158, Mail: ethan@guangantech.com

Quality control:

GuangAn's traffic signal light all *pass the tested of high humidity, salt and high temperature environment, also pass 72 hours of aging test.*

